


REV. NO.	ZONE	REVISION DETAILS	DATE	PRD.	APPD.



FOR REFERENCE ONLY



MODEL NO	WIDTH (W)	HEIGHT (H)	THICK(T)	LENGTH(L)	QTY IN MTRS
PCT 01					
PCT 01					
PCT 01					
PCT 01					
PCT 01					

- Notes:
- Unless Otherwise stated all Dimensions are in MM
Unless Otherwise Specified Dimensions are subject to Minor Variation for manufacturing Convenience.
 - Tolerance : Thickness ± 0.2 MM (IS 1852)
Length, Width & Height \pm MM
 - All nut, Bolt Shall be Zinc Plated (M8X 12 Length)
 - Side coupler Plate shall be of same thick of tray.

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MM TOLERANCES ANGULAR $\pm 3^\circ$	PART NAME	PCT 01			
	PRODUCT	Perforated Cable Tray-Stright Type Fold			
	MATERIAL	FINISH	 THIRD ANGLE PROJECTION	DRN.	Ashok
	SHEET 1 OF 1	SCALE NTS		CHD.	
MDM Engineering and Technologies		DWG No.	PCT 01 600:0081		REV. No. A
					DWG Size A3

REV. NO.	ZONE	REVISION DETAILS	DATE	PRD.	APPD.

FOR REFERENCE ONLY





MODEL NO	WIDTH (W)	HEIGHT (H)	THICK(T)	LENGTH(L)	QTY IN MTRS	WIDTH 1(W1)	WIDTH -1 ANGLE
PCT 01A							60°
PCT 01A							60°
PCT 01A							60°
PCT 01A							60°
PCT 01A							60°

- Notes:
1. Unless Other wise stated all Dimensions are in MM
Unless Otherwise Specified Dimensions are subject to Minor Variation for manufacturing Convenience.
 2. Tolerance : Thickness ± 0.2 MM (IS 1852)
Length, Width & Height ± 3 MM
 3. All nut, Bolt Shall be Zinc Plated (M8X 12 Length)
 4. Side coupler Plate shall be of same thick of tray.

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MM TOLERANCES	PART NAME		PCT 01 A		
	PRODUCT		Perforated Cable Tray-Return Flange Inside Type Fold		
	MATERIAL	FINISH	 THIRD ANGLE PROJECTION	DRN.	Ashok
	SHEET	SCALE		CHD.	
	1 OF 1	NTS	APPD.	Baskar	
MDM Engineering and Technologies			DWG No.		REV. DWG
			PCT 01 A 600:0086		No. Size
					A A3

FILE NAME:

REV. NO.	ZONE	REVISION DETAILS	DATE	PRD.	APPD.




For Reference Only


MDM

MODEL NO	WIDTH (W)	HEIGHT (H)	THICK(T)	LENGTH(L)	QTY IN MTRS	WIDTH 1(W1)
PCT 01C						
PCT 01C						
PCT 01C						
PCT 01C						
PCT 01C						

- Notes:
- Unless Other wise stated all Dimensions are in MM
Unless Otherwise Specified Dimensions are subject to Minor Variation for manufacturing Convenience.
 - Tolerance : Thickness ± 0.2 MM (IS 1852)
Length, Width & Height \pm MM
 - All nut, Bolt Shall be Zinc Plated (M8X 12 Length)
 - Side coupler Plate shall be of same thick of tray.

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MM TOLERANCES ANGULAR $\pm 3^\circ$	PART NAME		PCT 01C			
	PRODUCT		Perforated Cable Tray-C Type Inside Fold			
	MATERIAL	FINISH	 THIRD ANGLE PROJECTION	DRN.	Ashok	
	SHEET 1 OF 1	SCALE NTS		CHD.		
MDM Engineering and Technologies			DWG No.	PCT 01 C 600:0090		
				REV. No.	DWG Size	
				A	A3	

REV. NO.	ZONE	REVISION DETAILS	DATE	PRD.	APPD.



FOR REFERENCE ONLY

MODEL NO	WIDTH (W)	HEIGHT (H)	THICK(T)	LENGTH(L)	QTY IN MTRS	WIDTH 1(W1)	WIDTH -1 ANGLE
PCT 01B							60°
PCT 01B							60°
PCT 01B							60°
PCT 01B							60°
PCT 01B							60°


Notes:

- Unless Otherwise stated all Dimensions are in MM
Unless Otherwise Specified Dimensions are subject to Minor Variation for manufacturing Convenience.
- Tolerance : Thickness ± 0.2 MM (IS 1852)
Length, Width & Height ± 3 MM
- All nut, Bolt Shall be Zinc Plated (M8X 12 Length)
- Side coupler Plate shall be of same thick of tray.

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MM TOLERANCES	PART NAME		PCT 01B			
	PRODUCT		Perforated Cable Tray-Return Flange Outside Type Fold			
	MATERIAL	FINISH	 THIRD ANGLE PROJECTION	DRN.	Ashok	
	SHEET	SCALE		CHD.		
	1 OF 1	NTS	APPD.	Baskar		
MDM Engineering and Technologies			DWG No. PCT 01B 600:0086			
			REV. No.	DWG Size		
			A	A3		

REV. NO.	ZONE	REVISION DETAILS	DATE	PRD.	APPD.

FOR REFERENCE ONLY



MODEL NO	WIDTH (W)	HEIGHT (H)	THICK(T)	LENGTH(L)	QTY IN MTRS	WIDTH 1(W1)
PCT 01D						
PCT 01D						
PCT 01D						
PCT 01D						
PCT 01D						

Notes:

- Unless Otherwise stated all Dimensions are in MM
Unless Otherwise Specified Dimensions are subject to Minor Variation for manufacturing Convenience.
- Tolerance : Thickness ± 0.2 MM (IS 1852)
Length, Width & Height \pm MM
- All nut, Bolt Shall be Zinc Plated (M8X 12 Length)
- Side coupler Plate shall be of same thick of tray.

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MM TOLERANCES ANGULAR $\pm 3^\circ$	PART NAME	PCT 01D				
	PRODUCT	Perforated Cable Tray-C Type Outside Fold				
	MATERIAL	FINISH	 THIRD ANGLE PROJECTION	DRN.	Ashok	
	SHEET 1 OF 1	SCALE NTS		CHD.		
MDM Engineering and Technologies		DWG No.	PCT 01 D 600:0086		REV. No. A	DWG Size A3
				APPD.	Baskar	

FILE NAME: